THE CLAIMS

1. (Currently amended) A system supporting the indirect control of at least one media peripheral, the system comprising:

a first television display in a first home;

a first storage in the first home, the first storage for storing media, and having an associated a first network protocol address;

a second storage in the second home, and having an associated a second network protocol address;

at least one media peripheral, in the second home, communicatively coupled to the second storage; and

server software that maintains a user defined association of the first and second network protocol addresses and that receives via a communication network a request that identifies one of the associated first and second network protocol addresses, one of the at least one media peripheral, and at least one media peripheral command selected by a user at the first home, and responds by identifying the other of the associated first and second network protocol addresses to support control from the first home, via the communication network, of the identified one of the at least one media peripheral, at the second home, according to the at least one media peripheral command.

2. (Previously presented) The system of claim 1 wherein the first and second network protocol addresses are one of an Internet protocol (IP) address, a media access control (MAC) address, or an electronic serial number (ESN).

Appln. No. 10/660,267 Amendment Under 37 C.F.R. § 1.114 August 23, 2007

- 3. (Previously presented) The system of claim 1 wherein the at least one media peripheral comprises one or more of a digital camera, a digital camcorder, an MP3 player, a home juke-box system, a multi-media personal digital assistant (PDA), and/or a mobile multi-media gateway device.
- 4. (Previously presented) The system of claim 1 wherein the media comprises one or more of audio, a still image, video, and data.
 - 5. (Original) The system of claim 1 wherein the media comprises real-time video.
- 6. (Previously presented) The system of claim 1 wherein the at least one media peripheral command comprises one or more of on, off, select, play, capture, download, erase, delete, zoom, focus, pan, tilt, set compression format, set resolution, set frame rate, set quality, rewind, fast forward, scan, list, skip, and/or check status.
- 7. (Previously presented) The system of claim 1 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure.

8. (Original) The system of claim 1 wherein the communication network is the

Internet.

9. (Original) The system of claim 1 further comprising: a user interface, at the

first home, for identifying at least one of the second home, the at least one media peripheral, and

the at least one media peripheral command; and the user interface supporting at least one media

channel.

10. (Currently amended) A system supporting the indirect control of at least one

media peripheral, the system comprising:

a first storage in a first home that stores media, and having an associated a first network

address;

a second storage in a second home, and having an associated a second network address;

set top box circuitry, in the first home, communicatively coupled to the first storage and

the second storage;

at least one media peripheral, in the second home, communicatively coupled to the

second storage; and

server software that maintains a user defined association of the first and second network

addresses and that receives a request that identifies one of the associated first and second

network addresses, one of the at least one media peripheral, and at least one media peripheral

command, and responds by identifying the other of the associated first and second network

addresses to support control, via a communication network, of the identified one of the at least

one media peripheral, according to the at least one media peripheral command.

The system of claim 10 wherein the media 11. (Previously presented)

comprises one or more of audio, a still image, video, and/or data.

12. (Previously presented) The system of claim 10 wherein the at least one media

peripheral comprises one or more of a digital camera, a digital camcorder, an MP3 player, a

home juke-box system, a multi-media personal digital assistant (PDA), and/or a mobile multi-

media gateway device.

13. (Previously presented) The system of claim 10 wherein the first and second

network addresses are one of an Internet protocol (IP) address, a media access control (MAC)

address, or an electronic serial number (ESN).

(Previously presented) The system of claim 10 wherein the communication 14.

network comprises one or more of a cable infrastructure, a satellite network infrastructure, a

digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a

wired infrastructure, and/or a wireless infrastructure.

The system of claim 10 wherein the communication network is the 15. (Original)

Internet.

16. (Original) The system of claim 10 wherein the server software forwards

media from the at least one media peripheral to the set top box circuitry.

17. (Original) The system of claim 10 wherein the server software is at a location

separate from the first home and the second home.

18. (Currently amended) A system supporting the indirect control of at least one

media peripheral, the system comprising:

a first storage, in a first home, that stores media;

at least one media peripheral, in a second home;

set top box circuitry, in the first home, communicatively coupled via a communication

network, to exchange media between the first storage and the at least one media peripheral, the at

least one media peripheral being configured to be indirectly controlled by the set top box

circuitry in the first home; and

server software that supports the delivery of at least one media peripheral command to

the at least one media peripheral, and the exchange of media between the at least one media

peripheral and the set top box circuitry.

19. (Previously presented) The system of claim 18 wherein the media

comprises one or more of audio, a still image, video, real-time video, and/or data.

20. (Previously presented) The system of claim 18 wherein the at least one media peripheral command comprises one or more of on, off, select, play, capture, download, erase, delete, zoom, focus, pan, tilt, set compression format, set resolution, set frame rate, set quality, rewind, fast forward, scan, list, skip, and/or check status.

- 21. (Previously presented) The system of claim 18 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure.
- 22. (Previously presented) The system of claim 18 wherein the at least one media peripheral comprises one or more of a digital camera, a digital camcorder, an MP3 player, a home juke-box system, a multi-media personal digital assistant (PDA), and/or a mobile multi-media gateway device.
- 23. (Currently amended) A system supporting the indirect control of at least one media peripheral, the system comprising:

set top box circuitry, in a first home, communicatively coupled to control a media peripheral at a second home; and

server software that <u>maintains a user defined association of first and second network</u>

protocol addresses and that receives via a communication network a request that identifies one of

[[an]] the associated first and second network protocol addresses, and responds by identifying the

other of the associated first and second network protocol addresses to support control from a first

home, by the set top box circuitry, via the communication network, of the media peripheral at the

second home.

24. (Previously presented) The system of claim 23 wherein the first and second

network protocol addresses are one of an Internet protocol (IP) address, a media access control

(MAC) address, or an electronic serial number (ESN).

25. (Previously presented) The system of claim 23 wherein the media

peripheral comprises one or more of a digital camera, a digital camcorder, an MP3 player, a

home juke-box system, a multi-media personal digital assistant (PDA), and/or a mobile multi-

media gateway device.

26. (Previously presented) The system of claim 23 wherein the communication

network comprises one or more of a cable infrastructure, a satellite network infrastructure, a

digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a

wired infrastructure, and/or a wireless infrastructure.

27. (Previously presented) The system of claim 23 wh

The system of claim 23 wherein the communication

network is the Internet.

Appln. No. 10/660,267 Amendment Under 37 C.F.R. § 1.114 August 23, 2007

28. (Previously presented) The system of claim 23 further comprising: a user interface, at the first home, for identifying at least one of the second home, the media peripheral, and at least one media peripheral command; and the user interface supporting at least one media channel.